

Building	Location	# of Pieces	Type	Mfg	Model	Processor Type (computers only)	Processor Speed	Serial Number	Fixed Asset #	# of Boxes	A/C Adapter included? Y/N	Working Condition (Y=Yes or N=No)	BIOS Password Cleared (Y=Yes or N=No)	Additional Comments
NPHS Tech Suite	Boiler Room	1	Docking Station	HP	xb2000 Expansion Base			CNF62814M1			N	Y		
NPHS Tech Suite	Boiler Room	1	Docking Station	HP	xb2000 Expansion Base			CNF62814CH			N	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	Compaq nx9600			CNF53322HY			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	Compaq nx9600			CNF53322H8			Y	Y		
NPHS Tech Suite	Boiler Room	1	Keyboard	HP	Series Tablet Keyboard			5Y32LBQ15677			N	N		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU0381DST			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU1424473			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU142441P			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU0381J3S			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU1424400			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 510?			CNU14243JC			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5102			CNU0086PD7			Y	Y		
NPHS Tech Suite	Boiler Room	1	Thinkpad	Lenovo	Thinkpad 10			Not Readable			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU0405JN1			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU14243PP			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5102			CNU0163SKG			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	ProBook 6455b			CNU0392278			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	ProBook 6455b			CNU03921LZ			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	ProBook 6455b			CNU039226X			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	ProBook 6455b			CNU03921J2			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	ProBook 6455b			CNU03921XK			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	ProBook 6455b			CNU0392217			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	ProBook 6455b			CNU0332N00			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	ProBook 6455b			CNU0332N14			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	ProBook 6455b			CNU1100K2W			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	ProBook 6455b			CNU20701HB			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	ProBook 6455b			CNU0332NC5			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	ProBook 6455b			CNU0332NCQ			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	ProBook 6455b			CNU03921Y0			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	ProBook 6465b			CNU20701HD			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	ProBook 6455b			CNU1072W5V			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	ProBook 6455b			CNU0392173			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	ProBook 6455b			CNU0332N33			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU0381FCW			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103						Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU0405JNM			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU14243VX			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU142442V			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU142446F			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU1424470			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU14243QQ			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU142447F			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU0405JMY			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU0405JN7			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5013			CNU0381YGT			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU142432C			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU14243MR			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU1424458			Y	Y		

Building	Location	# of Pieces	Type	Mfg	Model	Processor Type (computers only)	Processor Speed	Serial Number	Fixed Asset #	# of Boxes	A/C Adapter included? Y/N	Working Condition (Y=Yes or N=No)	BIOS Password Cleared (Y=Yes or N=No)	Additional Comments
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU142444H			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU14243VD			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU14243W9			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU14243NH			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU1424433			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU14243S0			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU142442H			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103						Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU14243N3			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU142446H			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	Mini 5103			CNU14243MH			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	Apple	MacBook			459451C29GU			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	Apple	MacBook			459451DH9GU			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	ProBook 6465b			CNU2063K92			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	ProBook 6465b			CNU20701RM			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	ProBook 6465b			CNU20701NC			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	ProBook 6465b			CNU20633JGK			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	ProBook 6465b			CNU20701HZ			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	ProBook 6465b			CNU1011V3M			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	ProBook 6455b			CNU0332MQ8			Y	Y		
NPHS Tech Suite	Boiler Room	1	Desktop	HP	Compaq dc5850			2UA8281PVX			Y	Y		
NPHS Tech Suite	Boiler Room	1	Monitor/iMac	Apple	Large Monitor, model unknown			W8029RQ6DAS			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	6715			CNU732066W	29007		Y	N		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	6715			CNU73205DJ	29368		Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop	HP	6455			CNU0332MTC			Y	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	2140			CNU9056C8X			N	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini	HP	3125			5CD3133M3T			N	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini touchscreen	HP	2710			2CE7400YKF			N	Y		
NPHS Tech Suite	Boiler Room	1	Docking Station	HP	2700			2CE8190T67			N	Y		
NPHS Tech Suite	Boiler Room	1	Pocket PC	Compaq	H3600			unknown			N	Y		
NPHS Tech Suite	Boiler Room	1	Laptop-mini touchscreen	HP	PP3006			5Y2CLHB1J667			N	Y		
NPHS Tech Suite	Boiler Room	1	Tablet-IOs	Apple				DMPPTAS1FK10			N	N		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L			FDO1128Y02T				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FCQ1707X2L0				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1114U0YK				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125X00H				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125X01Y				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125X03Y				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125X040				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125X042				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125X043				Y		

Building	Location	# of Pieces	Type	Mfg	Model	Processor Type (computers only)	Processor Speed	Serial Number	Fixed Asset #	# of Boxes	A/C Adapter included? Y/N	Working Condition (Y=Yes or N=No)	BIOS Password Cleared (Y=Yes or N=No)	Additional Comments
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125X046				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125X04D				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125X04E				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125X04K				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125X04M				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125X04N				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125X04U				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125X058				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125X06R				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125X06S				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125X06X				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125X06Z				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125X071				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125X075				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125X0AE				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125X0AL				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125X0AY				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125X0B3				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125X0CK				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125Z0BJ				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125Z0Q3				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125Z0QZ				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125Z0R5				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125Z0RJ				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125Z0S2				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125Z0SR				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125Z0T7				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125Z0TT				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1125Z16T				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1211Z31F				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1211Z35W				Y		

Building	Location	# of Pieces	Type	Mfg	Model	Processor Type (computers only)	Processor Speed	Serial Number	Fixed Asset #	# of Boxes	A/C Adapter included? Y/N	Working Condition (Y=Yes or N=No)	BIOS Password Cleared (Y=Yes or N=No)	Additional Comments
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1214U226				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1214Z309				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1214Z30D				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1214Z30N				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1214Z324				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1214Z32B				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1214Z32D				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1214Z32K				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1214Z32L				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1214Z32T				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1214Z32X				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1214Z333				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1214Z3CR				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1214Z3CU				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1214Z3CZ				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1214Z3DX				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1214Z3DY				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1215V0SQ				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1215V0UH				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1215V0X5				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1215V0XF				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1215V0XV				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1216U19Z				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1216U1AD				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1216U1AE				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1216U1AX				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1216U1B0				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1216U1B3				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1216U1BL				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1216U1BY				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1216U1C3				Y		

Building	Location	# of Pieces	Type	Mfg	Model	Processor Type (computers only)	Processor Speed	Serial Number	Fixed Asset #	# of Boxes	A/C Adapter included? Y/N	Working Condition (Y=Yes or N=No)	BIOS Password Cleared (Y=Yes or N=No)	Additional Comments
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1216U1C4				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1216U1C6				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1216U1C9				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1216U1CG				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1216U1CT				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1216U1CZ				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1216U1D9				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1216U1DB				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1216U1DD				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1223X3D7				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V03			FOC1322Y241				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1243X4Q1				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1243X5K2				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1243X5K3				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1243X5KB				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1243Y434				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1243Y48A				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1243Y48H				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1243Y4G5				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1243Y4GA				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1244Y0UW				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1244Y0V1				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1244Y0VP				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1314V18Y				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1317V1MD				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1317W0K1				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1318V41K				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1318V420				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1318W55M				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1320X079				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1320X1K0				Y		

Building	Location	# of Pieces	Type	Mfg	Model	Processor Type (computers only)	Processor Speed	Serial Number	Fixed Asset #	# of Boxes	A/C Adapter included? Y/N	Working Condition (Y=Yes or N=No)	BIOS Password Cleared (Y=Yes or N=No)	Additional Comments
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1320X1K1				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1320X1KX				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1320X1LE				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1320X1LM				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1320X1ME				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1320X1MG				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1320X1ML				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1320X1N4				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1320X1N8				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1320X1N9				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1320X1NA				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1320X1ND				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1320X1NH				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1320X1NQ				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1320X1NR				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1320X1P3				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1320X1Q7				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1320X1SK				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1320X3LF				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1320X3MA				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322W0X5				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322W0XP				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322W0Z9				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322W0ZD				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322W0ZJ				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322W0ZP				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322X064				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322X066				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322X071				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322Y1FJ				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322Y1G8				Y		

Building	Location	# of Pieces	Type	Mfg	Model	Processor Type (computers only)	Processor Speed	Serial Number	Fixed Asset #	# of Boxes	A/C Adapter included? Y/N	Working Condition (Y=Yes or N=No)	BIOS Password Cleared (Y=Yes or N=No)	Additional Comments
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322Y1GE				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322Y1GG				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322Y1GJ				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322Y1GQ				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322Y1GV				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322Y1GX				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322Y1GY				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322Y1H0				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322Y1H2				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322Y1KW				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322Y1L0				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322Y1L9				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322Y1LH				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322Y1V8				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322Y1WM				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322Y1X0				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322Y1X3				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322Y242				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322Y24K				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V05			FOC1322Y24P				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V09			FOC1447X0Q2				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V10			FCQ1546X1AV				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L V11			FCQ1707X2KR				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L-V03			FOC1211Z33P				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L-V03			FOC1214Z38D				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L-V03			FOC1214Z3CL				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L-V03			FOC1214Z3E2				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L-V03			FOC1214Z3EN				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L-V03			FOC1214Z3ET				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L-V03			FOC1216U1AT				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L-V03			FOC1223V4FP				Y		

Building	Location	# of Pieces	Type	Mfg	Model	Processor Type (computers only)	Processor Speed	Serial Number	Fixed Asset #	# of Boxes	A/C Adapter included? Y/N	Working Condition (Y=Yes or N=No)	BIOS Password Cleared (Y=Yes or N=No)	Additional Comments
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L-V03			FOC1223V4G8				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L-V03			FOC1223W45J				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L-V03			FOC1318V3Y6				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-L-V03			FOC1318V466				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960-24TC-V05			FOC1320X1MK				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960G-24TC-L V04			FOC1426Y7HW				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960G-24TC-L V04			FOC1426Y7J2				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960G-24TC-L V04			FOC1427Y1JJ				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C2960G-24TC-L V04			FOC1427Y1LQ				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3512-XL-EN			FAB0532U167				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3550-12G			CAT0727Y0T2				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3550-12T			CAT0828Y0F5				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3550-24-EMI			CAT0844Z0BA				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3550-24-EMI			CAT0848Z0EB				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3550-24-EMI			CAT0848Z0EG				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3550-24-EMI							Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S			CAT1026NH21				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V0							Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V0							Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V05			CAT0943R3LP				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V05			CAT1002R5W1				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V05			CAT1002R5W4				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V05			CAT1003R17Z				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V05			CAT1003R18M				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V05			CAT1003R18P				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V05			CAT1003R193				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V05			CAT1003R198				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V05			CAT1003R19F				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V06			CAT1026NGZF				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V06			CAT1026NH06				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V06			CAT1026NH08				Y		

Building	Location	# of Pieces	Type	Mfg	Model	Processor Type (computers only)	Processor Speed	Serial Number	Fixed Asset #	# of Boxes	A/C Adapter included? Y/N	Working Condition (Y=Yes or N=No)	BIOS Password Cleared (Y=Yes or N=No)	Additional Comments
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V06			CAT1026NH0R				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V06			CAT1026NH0S				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V06			CAT1026NH16				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V06			CAT1026NH1N				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V06			CAT1026NH1P				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V06			CAT1026NH1S				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V06			CAT1026RGW7				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V06			CAT1026RGX7				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V06			CAT1026RGX8				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V06			CAT1026RGXC				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V06			CAT1026RGXJ				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V06			CAT1026RGXK				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V06			CAT1026RGXN				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V06			CAT1026RGXP				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V06			CAT1026RGY9				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V06			CAT1026RGZG				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560-24PS-S V11							Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560G-24PS-S V05			FOC1124Z38M				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560G-24PS-S V05			FOC1133Y0X2				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560G-24TS-S V03			FOC1217Y392				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560G-24TS-S V03			FOC1217Y3AT				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560G-24TS-S V03			FOC1217Y3C7				Y		
NPHS Tech Suite	Hallway outside Boiler Room	1	Ethernet Switch	Cisco	WS-C3560G-24TS-S V03			FOC1219W6AV				Y		