Lansdale, Pennsylvania 19446

#### **General Conditions for Bid**

- The North Penn School District Board of School Directors invites bidders to submit sealed bids for the furnishing and delivery of Band Instruments.
- 2. Bids will be accepted until 2:00 pm on Thursday, July 7, 2016, at which time they will be opened at a public meeting at the Educational Service Center, 401 E. Hancock Street, Lansdale, PA 19446.
- 3. The bid should be submitted in a sealed envelope and clearly marked on the outside, "Band Instruments".
- 4. Bids shall be submitted on the enclosed Bid Proposal Form. Bids must be typewritten or written with ink and signed by the individual, partners, or corporate officer.
- 5. The successful bidder shall bid in strict accordance with the specifications as set forth. Exceptions to the specifications must be clearly stated in the bid submission.
- 6. A BID BOND OR CERTIFIED CHECK IN FAVOR OF THE NORTH PENN SCHOOL DISTRICT IN THE AMOUNT OF 10% OF THE TOTAL BID IS REQUIRED FROM EACH BIDDER AND MUST BE ENCLOSED WITH THE BID. THE BOND MUST BE ISSUED BY AN INSURANCE COMPANY.
  - Only the bid bonds or certified checks of the successful bidders will be held until all terms of the contract are completed. The bid bonds or certified checks of the unsuccessful bidders will be returned at the time of the awarding of the contract.
- 7. Delivery must be fully completed by August 19, 2016. If you cannot meet this delivery requirement please indicate in you bid.
- 8. The North Penn School District reserves the right to reject or accept any or all bids or any portion thereof and to waive any informalities permitted by law. Bids must remain firm for a period of sixty (60) days from the date of bid opening. The School District reserves the right to select the next lowest responsible bidder if a vendor's award totals is less than \$300.00.
- 9. When a catalog reference follows the description of an item, such catalog reference is intended as a means of more fully describing the item in the shortest possible space and is to be regarded only as a part of the description of the item, and is not intended to limit competition.
- 10. Bid items must be equal in all respects to those described in the specifications or referred to by catalog number. Should the bidder quote an alternate, complete specifications of the alternate must be provided, including a picture. It is the responsibility of the bidder to establish the equality of the material offered. Failure to supply these specifications may result in the rejection of your bid.
- 11. Bidder shall insert the price per stated unit and the total cost extension against each item in the schedule hereto annexed, which the bidder has proposed to furnish and deliver. The unit price inserted must be net and must include all delivery charges No Exceptions. In the event of a discrepancy between the unit prices and the total cost extension, the unit price will govern. The total bid is to be the sum of the quantity times the unit price for each item.
- 12. Bids may be awarded on an item-by-item basis. Quantities included in this bid are subject to change prior to order placement.
  - No additional charge will be allowed for cases, boxes, carboys, bottles, etc., nor for freight expenses, expressage, or cartage. No empty packages, cases, boxes, carboys, bottles, etc., will be returned to the bidder or contractor and none will be paid for the School District. Such empty cases, boxes, etc., may be removed by the bidder or contractor at his own expense.
- 13. A purchase order issued by the School District covering any or all items included in this bid shall constitute a contract binding upon the bidder and the School District.
- 14. No charge will be allowed for federal, state, or municipal sales or excise taxes, for which the school district is exempt by law. The bid price shall be net and shall not include the amount of any such tax. Exemption certificates, if required, will be furnished on forms provided by the bidder.
- 15. The bidder agrees, if awarded an order, to furnish and deliver the said articles at such time, to such place, and in such quantities as specified, and that all of the articles shall be subject to the inspection and approval of the School District. Acceptance of delivery of materials or equipment to the site shall not constitute final acceptance by the School District. In the event that any articles are rejected as damaged, or not in conformance with these specifications, such articles shall be removed immediately and other articles of proper quality as set forth in these specifications shall be furnished in place thereof, all at the expense of the successful bidder.
- 16. In the event that the successful bidder should neglect or refuse to furnish or deliver any articles or any part thereof, or to replace any articles which are rejected as stated in the preceding paragraph, then the School District is authorized and empowered to purchase articles in conformity with this order from such party or parties, and in such manner as it shall select, at the expense of the successful bidder, or to cancel the contract reserving to itself, nevertheless, all rights for damages which may be incurred by the School District.

General Conditions for Bid

Bid Title: Band Instruments Due Date: Thursday, July 7, 2016

17. The bidder, upon request, shall submit samples for any or all items on which a price is quoted, within three (3) days after such request is made. These samples shall be plainly marked with the name of the product, the name of the bidder, and the item number as shown on the proposal form. Samples may be returned at the expense of the bidder. Also upon request, the bidder must supply, within three (3) days, a list of schools and/or businesses using the item indicated in their bid.

- 18. On bids for <u>Services</u> involving the furnishing of labor and/or materials, the successful bidder shall be required to furnish <u>performance</u> and payment bonds in the amount of 100% of the bid.
- 19. On bids for <u>Services</u> involving the furnishing of labor, materials, and/or equipment, while said Services are being performed the successful bidder must maintain in full effect the following minimum <u>insurance coverage</u>:
  - 19.1 Workers' Compensation.
  - 19.2 Comprehensive public liability in the sum of \$100,000 for each person and \$300,000 for each accident, including contract liability. Such shall be endorsed with a save harmless clause in favor of the North Penn School District, its officers, members, and employees.
  - 19.3 Property damage in the amount of \$50,000.
  - 19.4 Automobile and truck insurance in an amount not less than \$300,000 on account of any one accident, and property damage in amount not less that \$50,000.
  - 19.5 If special hazards, such as might result from blasting, represent a possibility, these shall be covered by a rider to the policy or policies in an amount of not less than \$50,000.

Prior to the beginning of the Service, etc., to be performed, a certificate of insurance shall be furnished to the School District showing the insurance coverages required above. The Contractor shall assume full responsibility for loss of life and property, injuries to persons, including all employees of the Contractor or Subcontractors.

- 20. Items shipped DIRECT FROM THE FACTORY must show North Penn School District purchase order numbers on the cartons.
- 21. <u>Invoicing</u>: Invoices must be submitted for each individual school, completely itemized, and covering each shipment. They should show North Penn School District item numbers, the same as packing slips. No photocopy of a Bid or Purchase Order will be accepted in lieu of an itemized invoice.
- 22. <u>ASBESTOS</u>: In the event a contractor by virtue of his work for the District discovers asbestos, the contractor must immediately notify the District and perform no further work in connection with the asbestos. If directed by the District to remove the asbestos, the contractor must take all steps required by all federal, state, and local agencies regarding asbestos removal. The asbestos removal operations may be the subject of a change order or a supplemental contract to this contract, or a separate contract to another contractor as the District may determine. If a contractor fails to meet the requirements of the federal, state, and local regulations and these specifications related to the discovery, removal, and clean-up, the contractor shall be subject to immediate termination and the contractor shall be responsible for all costs and expenses related to the removal and cleanup of the asbestos including architect and engineering fees.
- 23. DISCRIMINATION PROHIBITED: According to Section 755, Public School Code of Pennsylvania, 1949 as amended, the contractor agrees:
  - That in the hiring of employees for the performance of work under this contract, or any sub-contract hereunder, no contractor, sub-contractor, nor any person acting on behalf of such contractor or sub-contractor, shall, by reason of race, creed or color, discriminate against any citizen who is qualified and available to perform the work to which the employment relates;
  - That no contractor, sub-contractor, nor any person on his behalf, shall in any manner discriminate against or intimidate any employee hired for the performance of work under this contract on the account of race, creed or color;
  - 23.3 That there may be deducted from the amount payable to the contractor under this contract, a penalty of five dollars (\$5) for each person for each calendar day during which such person was discriminated against or intimidated, in violation of the provisions of this contract; and.
  - 23.4 That this contract may be canceled or terminated by the School District, and all money due or to become due hereunder may be forfeited, for a second or any subsequent violation of the terms and conditions of the contract.

Signature

Phone Number

Bid Title: Band Instruments Due Date: Thursday, July 7, 2016

- 24. HUMAN RELATIONS ACT: The provisions of the Pennsylvania Human Relations Act, Act 222 of October 27, 1955 (P.L. 744) (43 P.S. Section 951 et. seq.) of the Commonwealth of Pennsylvania prohibit discrimination because of race, color, religious creed, ancestry, age, sex, national origin, handicap or disability, by employers, employment agencies, labor organizations, contractors and others. The contractor shall agree to comply with the provisions of this Act as amended that are made part of this specification. Your attention is directed to the language of the Commonwealth's non-discrimination clause in 16 PA Code 349.101.
- 25. COMPETENT WORKERS: According to Section 752 of the Public School Code of 1949, no person shall be employed to do work under such contract except competent and first class workmen and mechanics. No workmen shall be regarded as competent and first class, within the meaning of this Act, except those who are duly skilled in their respective branches of labor, and who shall be paid not less than such hours by employers of organized labor in doing of similar work in the district where the work is being done.
- 26. STANDARD OF QUALITY: The various materials and products specified in the specifications by name or description are given to establish a standard of quality and of cost for bid purposes. It is not the intent to limit the acceptance to any one material or product of lesser quality would not be acceptable. Where proprietary names are used, whether or not followed by the words or as approved equal, they shall be subject to equals only as approved by the architect, engineer and/or School District.
- 27. PREVAILING WAGE: It is the responsibility of the bidder to determine compliance with the Pennsylvania Prevailing Wage Act and to adhere to all regulations governing this Act.
- 28. CLEARANCES: The successful Bidder must supply to North Penn School District documentation required by Act 34, Section III of the Public School Code (Criminal Record Check) and Act 151, Chapter 63 of 23 PA Consolidated Statues (Pennsylvania Child Abuse History Clearance) and Act 114 (FBI Fingerprinting Clearances) before work on a project shall begin. These forms must be current for every worker on site at all times.

Title

Date

**Email Address** 

Printed Name		
Company Name	Address	

Fax Number

Lansdale, Pennsylvania 19446-3807

#### **Non-Collusion Affidavit**

#### **Instructions:**

- 1. This Non-Collusion Affidavit is material to any contract awarded pursuant to this bid. According to the Pennsylvania Antibid-Rigging Act, 73 P.S. 1611 et sec., governmental agencies may require Non-Collusion Affidavits to be submitted together with bids.
- 2. This Non-Collusion Affidavit must be executed by the member, officer or employee of the bidder who makes the final decision on prices and the amount quoted in the bid.
- 3. Bid rigging and other efforts to restrain competition, and the making of false SWORN statement in connection with the submission of bids are unlawful and may be subject to criminal prosecution. The person who signs the Affidavit should examine it carefully before signing and assure himself or herself that each statement is true and accurate, making diligent inquiry, as necessary, of all other persons employed by or associated with the bidder with responsibilities for the associated approval or submission of the bid.
- 4. In the case of a bid submitted by a joint venture, each party to the venture must be identified in the bid documents, and an Affidavit must be submitted separately on behalf of each party.
- 5. The term "Complementary Bid" as used in the Affidavit has the meaning commonly associated with that term in the bidding process, and includes the knowing submission of bids higher than the bid of another firm, any intentionally high or non-competitive bid, and any other form of bid submitted for the purpose of giving a false appearance of competition.
- 6. Failure to file an Affidavit in compliance with these instructions may result in disqualification of the bid.

#### **Non-Collusion Affidavit**

#### For Bid for Band Instruments

State of	County of	
I state that I am	of	(Name of my Firm)
	authorized to make this affidavit o	n behalf of my firm, and its Owners, Directors firm for price(s) and the amount of this bid.

#### I state that:

- 1. The price(s) and amount of this bid have been arrived at independently and without consultation, communication or agreement with any other contractor, bidder or potential bidder.
- 2. Neither the price(s) nor the amount of this bid, and neither the approximate price(s) nor approximate amount of this bid, have been disclosed to any other firm or person who is a bidder or potential bidder, and they will not be disclosed before bid opening.
- 3. No attempt has been made or will be made to induce any firm or person to refrain from bidding on this contract, or to submit a bid higher than this bid, or to submit any intentionally high or non-competitive bid or other form of competitive bid
- 4. The bid of my firm is made in good faith and not pursuant to any agreement or discussion with, or inducement from, any firm or person to submit a complementary or other non-competitive bid.

# Non-Collusion Affidavit (con't.)

5.	, its affiliates, subsidiaries, officers, directors, and emplo	ovees are not currently
under	_,,,,,	,,
(name of my firm)		
	ency and have not in the last four years been convicted or any jurisdiction, involving conspiracy or collusion with r	
I state thatand	understands and acknowledges that the above rep	presentations are material
(name of n	n)	
understand and my firm underst	orth Penn School District in awarding the contract for whith hat any misstatement in this affidavit is and shall be treat ool District of the true facts relating to the submission of	ed as fraudulent
	(Name)	
	(Company Position)	
SWORN TO AND SUBSCRIBED		
BEFORE ME THISDAY		
OF, 20		
Notary Public	My Commission Expires	

Lansdale, PA 19446

# Vendor's/Contractor's Qualification Statement

The Undersigned certified under oath the truth and correctness of all statements and of all answers to questions made hereinafter.

Submitt	ed by:	Corporation
Name:		Partnership
Address	:	Individual
Principa	al Office:	Joint Venture
Phone:		Other
1.	How ma	any years has your organization been in business as a vendor/contractor?
2.	How ma	any years has your organization been in business under its present business name?
3.	If a corp	poration, answer the following:
	a.	Date of Incorporation:
	b.	State of Incorporation:
	c.	President's name:
	d.	Vice President's name(s):
	e.	Secretary's or Clerk's name:
	f. g.	Treasurer's name:  List names and address of all parties holding greater than 10% interest in the corporation.
4.	Trade R	eferences:
5.	Bank Re	eferences:
6.	Name of	f bonding company and name and address of agent:

7.	Dated at					
	this	day of	, 20			
	Name of Organization:			_		
	Ву:					
	Title:		<u>—</u>			
8.		being duly sworn deposes and says that he/she is the				
	statements therein contain		ctor and that answers	s to the foregoing questions and	l all	
	Subscribed and sworn bet	fore me this	day of	<u>,</u> 20 <u> </u>		
	Notary Public:					
	My commission Expires:					

Vendor's Contractor's Qualification State Abbrev.

Lansdale, PA 19446

# **Bid Proposal Form**

# **Band Instruments Bid**

We, the undersigned, have reviewed the specifications herein for the supply of the above listed item(s). We propose to furnish and deliver all materials and accessories to complete the work, in accordance with the attached Bid Specifications and General Conditions. We understand that the North Penn School District reserves the right to reject any and all bids and to make awards on the basis of quality as well as price.

Company Name		Date	
Address			
Authorized Signature	Printed Name	Title	
Telephone #	Fax #	Email Address	

Lansdale, PA 19446

# **Bid Proposal Form**

Instrument	Quantity	Unit Cost	Total Cost
Ravenna 34 lever harp w/case by Dustry Strings Harp- No substitutions (Shipped to Pennfield Middle School)	1		
4/4 CodaBow Prodigy Cello Bow (10 shipped to North Penn High School, 10 to Penndale Middle School)	20		
Accent BN590R Bassoon (1 shipped to Gwynedd Square Elementary, 1 to Gwyn-Nor Elementary)	2		
Adams 3.1 Octave Soloist Vibraphone with Voyager Frame (Shipped to Pennfield Middle School)	1		
Adams 3.5 octave soloist Rosewood Xylophone (Shipped to Pennfield Middle School)	1		
Conn 110H Series Bass Trombone (Shipped to Penndale Middle School)	1		
Euphonium Yamaha YEP-321 (Shipped to Pennbrook Middle School)	1		
Franz Hoffman Etude 1/2 violin outift (1 each shipped to Oak Park Elementary, Kulp Elementary and Hatfield Elementary)	3		
Franz Hoffmann Etude 13" viola outfit (Shipped to North Wales Elementary)	1		
Franz Hoffmann Etude 4/4 violin outfit (Shipped to North Wales Elementary)	1		
Glasser Bow 4/4 Violin Size (2 each shipped to Oak Park Elementary, Kulp Elementary, and Hatfield Elementary)	6		
Ludig 23" Standard Series Fiberglass timpani w/guage (Shipped to Pennfield Middle School)	1		
Pearl D-930 Drum Throne (Shipped to Penndale Middle School)	1		

Instrument	Quantity	Unit Cost	<b>Total Cost</b>
Pearl Free Floating Maple Snare Drum - 14.5x6.5 Liquid Amber (Shipped to Penndale Middle School)	1		
Pearl Masters MCX 4-Piece Hybrid Shell pack with 22" Bass drum - Quilted Bubinga Sunburst (Shipped to Penndale Middle School)	1		
Pearl PTT-1824W Trap table (Shipped to Inglewood Elementary)	2		
Pearl VBL Birch 5-pc Shell Pack Graphite with Chrome Hardware (Shipped to North Penn High School)	1		
Selmer Model 123FB Intermediate Oboe (Shipped to Penndale Middle School)	1		
SPL 2 2/3 Octave Xylophone Padauk Wood Bars (Shipped to Gwyn-Nor Elementary)	1		
Wenger Classic 50 Music Stand (10 shipped to North Penn High School, 6 shipped to Pennbrook Middle School, 8 shipped to Pennfield Middle School, and 20 shipped to North Wales Elementary)	44		
Wenger Music Stand Move & Store Cart, Large (Shipped to North Wales Elementary School)	1		
Yamaha Baritone Saxophone Model #YBS-52 wc with low A key with case and 5C pro hard rubber mouthpiece (Shipped to Pennbrook Middle School)	1		
Yamaha DS 840 Double Braced Drum Throne (Shipped to North Penn High School)	1		
Yamaha YCL221II Bass Clarinet w/case and mouthpiece (1 each shipped to Pennfield Middle School, Bridle Path Elementary and Montgomery Elementary)	3		
Yamaha YHR-314ll Student F French Horn Standard ( 1 shipped to Knapp Elementary and 2 to Walton Farm Elementary)	3		
Yamaha YHR567 Geyer Series Intermediate Double Horn (Shipped to Pennbrook Middle School)	2		

Instrument	Quantity	Unit Cost	Total Cost
Zildjian 18" Symphonic Viennese Crash Cymbals Pair (Shipped to Pennfield Middle School)	1		

ANTICIPATED BID AWARD WILL BE NO LATER THAN JULY 21, 2016, WITH PURCHASE ORDERS TO FOLLOW AFTER BOARD APPROVAL.

ALL INSTRUMENTS MUST BE DELIVERED BEFORE <u>AUGUST 19, 2016</u>. IF YOU CANNOT MEET THIS DEADLINE PLEASE INDICATE IN YOUR BID WHEN ANTICIPATED DELIVERY WILL OCCUR.

PLEASE BID AS SPECIFIED. NO SUBSTITUTIONS WILL BE ACCEPTED.

## **Harp Specs for Bid**

#### Specifications:

- Height with leg not extended: 49"
- Maximum height with optional drop-down leg extended: 70"
- Soundboard width: 14"
- Weight: 21 pounds

#### Harp Description:

Quality construction meets affordability in the Ravenna 34, a portable, stave-back harp designed for the discerning, cost-conscious harp enthusiast who requires a reliable, full-range instrument with a rich, satisfying sound.

Using the same innovative design and construction techniques as the popular Ravenna 26, the Ravenna 34 offers almost five full octaves of distinctive Dusty Strings sound in a very affordable instrument. It has a warm, strong bass balanced by a bright, clear treble, even string tension for precision while playing, and high-quality materials and refined craftsmanship for lasting value. With an array of available options, the Ravenna 34 invites you to thoroughly enjoy exploring a full-range harp.

The stave-back soundbox makes for great playing comfort. Dusty Strings' characteristic bright, full sound, tuning stability, even tension across the strings, and meticulous craftsmanship make the Ravenna 34 a great value, and it has a two-year warranty against defects in materials and workmanship. Please bid only Revenna 34 lever harp.

#### **Cello Bow Specs for Bid**

Coda Bow Prodigy Cello Bow Carbon fiber nickel-mounted 4/4- Features include: Graphite Diamond Weave Finish, Blended Acoustic Core, Brown Tint, Traditional Frog Design made with XEBONY® High-Performance Composite, White Mother-of-Pearl Slide, Engraved Coda Eye Inlay, Nickel and Silver fittings, Moroccan Goat Skin Grip, Metal Alloy Tip Plate, Silver Medal Horse Hair, Traditional Hand-Cut Wood Wedges and Plugs, Individually Numbered. Limited 5-Year Warranty

#### **Bassoon Specs for Bid**

#### BN590R Bassoon

ABS composition body – adapts well to all climate conditions while retaining superior tone production.

Nickel-plated, nickel-silver keys for long lasting school use.

Short reach, plateau key on the 3rd finger hole decreases the "stretch factor" for younger students with smaller hands.

Specially designed left-hand thumb keywork provides comfort for younger students.

F, Ab, Eb, Db rollers; D# trill key for increased facility and fingering options.

Includes two bocals, seat strap, hand crutch, cork grease and case with case cover.

## **Vibraphone Specs for Bid**

The Adams VSGV31M 3.1 Octave Solist Series Vibraphone with Motor features the voyager frame. The precision graduated Adams aluminum alloy, gold anodized bars, produce a beautiful tone of unmatched quality, perfectly balanced throughout the instruments entire range. The motor speed is fully adjustable from 25 to 150 rpm. The speed is digital readable and offers easily accessible switches allowing the player to choose whether the fans stop in either the open or closed position. The motor and drive belts are completely enclosed within the end cap of the instrument, providing both easy access to its top mounted controls, and excellent protection from the elements. Motor: 40-140 rpm-Range: 3.1 oct. E3-F6-Bars: Aluminum 50-38 mm-Pitch A: 442 Hz.-Frame: Voyager-Length: 156 cm-Low end: 75 cm-High end: 40 cm-Height adjustment: 85-105 cm

The foot operated dampening mechanism, offers full pedal tension, damper, and height adjustments, allowing each player to custom configure the feel of the instrument to their exact playing style. The damper also utilizes a quality felt material to achieve true silent damping. All resonator tubes are fully welded to eliminate all unwanted noises.

# 3.5 Octave Xylophone Specs for Bid

All Adams Instruments are tuned to the SIXTH overtone for clearer, more precise tuning than others on the market.

XSHV35 3.5 Octave Soloist Xylophone

Wood: Honduras Rosewood

Tuning: A=442 Hz.
Range: F4 - C8
Length: 55.5"
Lo End: 24.8"
Hi End: 13.8"
Ht Adj: 31.5" - 39.3"

Ht Adj: 31.5" - 39.3" Weight: 70 lbs.

#### **Trombone Specs for Bid**

The Conn 110H Series Bass Trombone features a single F attachment rotor with a .562" large bore plus a lightweight hand slide for a responsive instrument with a full sound. The 110H also features a 10" rose brass bell for outstanding resonance and projection. It includes a case and mouthpiece, and is available in lacquer finish.

#### **Euphonium Specs for Bid**

The Yamaha YEP-321 Euphonium features a small shank receiver with a .571 inch bore for easy tone production and response for the advancing student. The 4 nickel-plated top action valves offer excellent, quick action. The YEP-321 includes a hard case, small shank mouthpiece and valve oil. **Honed Valves-Honed Valves** 

The precise fit between valve casings and pistons after honing means no air leakage. Pressure Formed Tubing-Perfectly rounded tubing results in less turbulence and a smoother air flow, allowing for an excellent scale and reduced resistance.

## 1/2 Violin Specs for Bid

"Step-Up" instrument for Beginners and Intermediate players who either have some playing experience or wish to start with an instrument that will allow for more rapid development of their skills.

A popular choice with parents and teachers willing to spend a bit more for a warmer sound. Made by hand in our Chinese partner workshop, finished with a spirit varnish to bring out even more of the sound, and set-up with Overture Ultra strings. This level of craftsmanship is not found on any other student violin in this price range.

A solid spruce top, inlaid purfling, solid maple sides and neck, and ebony fittings all combine to make this an excellent student instrument.

# 13" Viola Specs for Bid

The perfect viola for the beginner! Designed from the groud up as "best in class", the Hoffmann Amadeus viola is crafted from quality maple, spruce and ebony. Refined setup is immediately evident in the smooth hand feel, smooth peg function and responsive, clear sound. Carbon fiber tailpiece with four built-in string adjusters helps the beginner develop confidence. Outfit includes shaped foam case, rosin and brazilwood/horsehair bow.

# 4/4 Violin Specs for Bid

"Step-Up" instrument for Beginners and Intermediate players who either have some playing experience or wish to start with an instrument that will allow for more rapid development of their skills.

A popular choice with parents and teachers willing to spend a bit more for a warmer sound. Made by hand in our Chinese partner workshop, finished with a spirit varnish to bring out even more of the sound, and set-up with Overture Ultra strings. This level of craftsmanship is not found on any other student violin in this price range.

A solid spruce top, inlaid purfling, solid maple sides and neck, and ebony fittings all combine to make this an excellent student instrument.

## **Violin Bow Specs for Bid**

Glasser violin bows are inexpensive, yet excellent quality bows that will retain their correct curvature and elasticity for years. They will never warp and under ordinary use will not break. These bows have genuine unbleached white horse hair and a leatherette grip. Available in all sizes.

The Standard Fiberglass bows feature a new half-lined bow frog with metal under-slide and an imitation three part button. Available in colored sticks (green, blue and purple) and optional colored horsehair (blue).

Premium Fiberglass bows feature a fully-lined bow frog with a Parisian eye and an imitation three-part button. Available in colored sticks (green, blue and purple).

## **Timpani Specs for Bid**

Ludwig Standard Series Timpani feature many of the same designs as their Professional Series drums. The two main differences are...The Tuning System is enclosed inside each drum for added durability and the Bowl is not suspended.

Ludwig Standard Series Timpani are available in either Smooth Copper or Fiberglass Shells and come standard with shallow drop covers.

## **Pearl Drum Throne Specs for Bid**

The D-930 Drum Throne features Memory Foam for maximum comfort at an affordable price. The ultra-soft Memory Foam molds itself around the player, giving you customized support that allows you to play for extended periods of time. Vinyl Covered Round Memory Foam Cushion HEIGHT-18.50" - 25.98" LARGE RUBBER FEET

#### **Snare Drum Specs for Bid**

Pearl's Free Floating Series of Drums feature several types of shells and sizes. One will fit into your setup no matter what style you prefer.

This Free Floating version is the Maple Shell 14" x 6.5" and features Die-Cast Hoops and Stainless Steel Tension Rods.

#### **Pearl Masters MCX Drumset Specs for Bid**

4-piece Shell Pack, 6-ply Maple Shells, with 20" Bass Drum, 12" and 10" Rack Toms, and 14" Floor Tom - Quilted Bubinga Sunburst

### **Trap Table Specs for Bid**

The Pearl PTT-1824W is the perfect Trap Table for any situation. The Pearl Trap Table features a 18"x24" top to hold all of your percussive items in any playing situation. The trap table stand folds down easily for fast transport and ease of storage.

Height range is 31"- 48"

# Pearl VBL Birch Drumkit Specs for Bid

 $22" \times 18"$  kick,  $12" \times 9"$  and  $13" \times 10"$  toms,  $16" \times 16"$  floor tom, and  $14" \times 5-1/2"$  snare. TH9001 tom arms. Cymbals and hardware sold separately.

#### **Oboe Specs for Bid**

Key of C. Resonite body, modified conservatory system, Ab-Bb and left-hand C-D trills, silver-plated key mechanism, range to low Bb.

# 2 2/3 Octave Xylophone Specs for Bid

Unlike traditional bell kits, the SPL 2-2/3 Octave Wooden Practice Xylophone is the ideal instrument that gives you the same sound and feel as a wooden mallet instrument. It' an excellent choice for the beginning mallet player as well as an superior tool for home practice for the experienced player.

Some introductory xylophones use a single pin to hold the key to the frame. SPL uses the time-tested method of a Bar Cord with spring tension connectors. This allows precise bar positioning and minimizes the movement of the bar when striking. When learning, the position of the bar is crucial. The traditional pin method allows the bar to move sideways, which does not give true, consistent positioning. Plus, better tonal quality is achieved when the bar is suspended as opposed to pinned to the frame.

The matching custom, heavy-duty stand with interlocking positioners allow for a sturdier structure with no movement of the keyboard. The stand also incorporates the ability to add the 2 sets of resonators that enhance the sound quality and allowing the instrument to be used in an ensemble, unlike other practice models.

#### **Music Stand Specs for Bid**

The Wenger Advantage • Quiet, Rattle-Free Performance - Polycarbonate desk and base are quieter than steel or aluminum. • Lightweight, Yet Durable - At just under 5 lbs, moving stands is a breeze. • Long-lasting Appearance - Polycarbonate material won't scratch or dent, making them virtually "graffiti proof." • Strong, one-piece polycarbonate base for excellent stability • Wobble-free base attachment • Protection of Musicians - Bolt-thru desk attachment means no unexpected mishaps, and polycarbonate material and rounded edges means no sharp edges to worry about. • Protection of Instruments - No worrying about scratching or denting expensive instruments. • Desk Dimensions: 20" x 13-1/2" (51 cm x 34 cm) desk • Height Adjustability: 25-1/2" to 49" (65 cm to 124 cm), desk lip to floor

#### **Music Stand Cart Specs for Bid**

Move music stands from rehearsal room to performance stage and back again with ease. Simplifies setup and safeguards your Wenger music stands.

#### **Baritone Saxophone Specs for Bid**

The Yamaha YBS-52 baritone saxophone is the most requested baritone by schools nationwide. The YBS-52 features a clear lacquered brass body, drawn tone holes, leather pads, and stainless steel springs. The intermediate player will love the easy action of the Yamaha YBS-52's keywork and the freeness with which it plays. Band directors favor the YBS-52 for its solid intonation, full sound, and physical durability. Each YBS-52 baritone sax comes standard with range to low A and a front F mechanism.

#### Yamaha Drum Throne Specs for Bid

The heavyweight Yamaha DS-840 Drum Throne is crafted with a black synthetic leather seat with extra padding that offers firm, comfortable .Extra padding offers firm, comfortable support

Double-braced legs support. Heavily constructed with a double-braced, adjustable memory clamp design that offers fast and secure height adjustment.

#### **Bass Clarinet Specs for Bid**

The Yamaha YCL-221 II (2 piece) Low Eb Bass Clarinet has many of the same features as professional models, but the ABS brushed resin body keeps this horn very affordable. Proven quality and durability keeps Yamaha bass clarinets a top choice among band directors.

The matte finish gives the clarinet a handsome appearance, while the ABS resin body makes the clarinet lightweight and durable. At the same time, it resonates nicely and gives it a rich, warm sound and an excellent response. Its neck angle is now the same as the professional models, resulting in a much more comfortable and natural playing position.

The leather pads (also used on its saxophones) are long lasting and provide a better feel than standard clarinet pads. The YCL-221's tone holes were scientifically designed and placed for extremely accurate intonation. The rounded key prevents key damage and eliminates the need to hold the keys when putting the instrument together. Finally, a new joint system features rubber rings surrounding the cork that help prevent air leaks, ease assembly and prevent keys from binding.

## French Horn Specs for Bid

Key of F single. Taper of the mouthpipe improves response and intonation while the wrap allows a more comfortable hand position and smoother air flow. Nickel silver inner and outer slides ensure better fit and less chance of corrosion than brass. Tapered valves offer long life without air leakage. Rich warm tone, superb flexibility, easy response, and accurate intonation make it a great musical investment. .472" bore, 12-1/8" bell diameter, medium bell throat, gold brass mouthpipe, 3 solid rotors, string lever action, yellow brass body and bell, clear epoxy lacquer finish, 32C4 mouthpiece, yellow brass rotor casing, and redesigned lighter ABS case.

All Yamaha wind instruments come with a limited 5-year warranty.

## **Double Horn Specs for Bid**

The YHR-567 features a .472-inch bore with a Geyer wrap and tapered gold brass leadpipe design for better response and intonation plus an adjustable thumb lever for playing comfort. Key: F//Bb- Bore: .472-inch - Bell: 12-1/8-inch - Bell Type: Fixed - Bell Throat: Medium - Bell Material: Yellow Brass - Leadpipe: Fixed - Leadpipe Material: Gold Brass - Wrap: Geyer - Linkage: String - Features: - Mouthpiece: Yamaha 32C4 - Finish: Lacquer

# **Cymbals Specs for Bid**

All purpose. Mid-range pitch. Full orchestra sound with good sustain. A balanced combination of overtones for a full-bodied sound. These cymbals possess all of the sonic ingredients that are expected from classic Viennese cymbal pairings. Clear, full-bodied response provides all that is needed within concert hall environments worldwide.

Category: A Zildjian Series Type: Hand Cymbals

Size: 18 Weight: M

Finish: Traditional Finish Genre: Orchestral: Orchestral

Skill Level: Advanced, Expert, Professional